

Your (Half Yearly Compliance Report) has been Submitted with following details

Proposal No	SIA/KA/INFRA2/450224/2023
Compliance ID	1230374717
Compliance Number(For Tracking)	EC/M/COMPLIANCE/1230374717/2026
Reporting Year	2026
Reporting Period	01 Jun(01 Oct - 31 Mar)
Submission Date	01-06-2026
RO/SRO Name	Shri S Senthil Kumar
RO/SRO Email	jk083.ifs@nic.in
State	KARNATAKA
RO/SRO Office Address	Integrated Regional Offices, Bengaluru
Note:- SMS and E-Mail has been sent to Shri S Senthil Kumar, KARNATAKA with Notification to Project Proponent.	

**Half Yearly Compliance Report
2026
01 Jun(01 Oct - 31 Mar)**

Acknowledgement

Proposal Name		SDM COLLEGE OF MEDICAL SCIENCES AND HOSPITAL by M/s. Shri Dharmasthala Manjunatheshwara University	
Name of Entity / Corporate Office		SHRI DHARMASTHALA MANJUNATHESHWARA UNIVERSITY	
Village(s)		N/A	
District		DHARWAD	
Proposal No.	SIA/KA/INFRA2/450224/2023	Category	INFRA-2
Plot / Survey / Khasra No.	N/A	Sub-District	N/A
State	KARNATAKA	Entity's PAN	*****EQUIRED
MoEF File No.	SEIAA 49 CON (VIOL) 2023	Entity name as per PAN	SHRI DHARMASTHALA MANJUNATHESHWARA UNIVERSITY

Compliance Reporting Details

Reporting Year	2026
Remarks (if any)	Half yearly compliance report for the period October 2025 to March 2026 is attached herewith for your kind perusal.
Reporting Period	01 Jun(01 Oct - 31 Mar)

Details of Production and Project Area

Name of Entity / Corporate Office	SHRI DHARMASTHALA MANJUNATHESHWARA UNIVERSITY	
	Project Area as per EC Granted	Actual Project Area in Possession
Private	25.24	25.24
Revenue Land	0	0
Forest	0	0
Others	N/A	N/A
Total	25.24	25.24

Others Area

Sr. no	Other Name	Area Granted	Area Actual
1	Plot area of the project	252415 sq m	252415 sq m

Production Capacity						
Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	BUILT UP AREA OF THE PROJECT	Square per Meter(SQM)	30/06/2026	181102	144258	144258
Conditions						
General Conditions						
Sr.No.	Condition Type	Condition Details				
1	WATER QUALITY MONITORING AND PRESERVATION	Total fresh water use shall not exceed the proposed requirement as provided in project details.				
PPs Submission: Complied Water consumption is regularly monitored and maintained within the allowed limits. Efficient plumbing fixtures and reuse of treated water is done to conserve fresh water.						Date: 01/06/2026
2	MISCELLANEOUS	Assured water supply, commensurate with the ultimate occupancy envisaged in the project shall be ensured before commencement of the project.				
PPs Submission: Complied Adequate and reliable water supply is ensured through approved municipal connections and internal storage systems.						Date: 01/06/2026
3	MISCELLANEOUS	The PP shall strictly adhere to the local Planning Authority Bye-Laws.				
PPs Submission: Complied The institution operates fully in compliance with local planning and development bye-laws.						Date: 01/06/2026
4	MISCELLANEOUS	The PP shall grow trees during the construction phase itself.				
PPs Submission: Complied Trees have been planted on the campus during the construction phase. Green cover is being maintained with native species.						Date: 01/06/2026
5	MISCELLANEOUS	The PP shall to rejuvenate of Navaluru Lake and Kelagere Lake.				
PPs Submission: Complied Lake rejuvenation works are under progress as a part of Remedial plan and Natural and Community Resource Augmentation plan.						Date: 01/06/2026
6	MISCELLANEOUS	The PP shall carry out community recharge of bore wells in the vicinity of the site.				
PPs Submission: Complied Community recharge of bore wells is being carried out as part of the Natural and Community Resource Augmentation Plan.						Date: 01/06/2026

7	MISCELLANEOUS	The PP shall construct lead of drains till the natural drains/water body for handling excess water.
PPs Submission: Complied Stormwater drains have been laid connecting to natural drainage channels, ensuring proper runoff management.		Date: 01/06/2026
8	MISCELLANEOUS	The PP shall submit CA certified turn over incurred in the project for the violation period before grant of EC.
PPs Submission: Complied The CA-certified turnover statement has been submitted to SEIAA as required.		Date: 01/06/2026
9	Statutory compliance	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work All the construction shall be done in accordance with the local building byelaws.
PPs Submission: Complied All required clearances and permissions were obtained prior to commencing of construction, ensuring full regulatory compliance.		Date: 01/06/2026
10	Statutory compliance	The approval of the Competent Authority shall be obtained for structural safety of the constructions due to earthquakes, adequacy of firefighting equipment etc., as per National Building Code including protection measures from lightening etc.
PPs Submission: Complied Competent Authority approvals were obtained to ensure structural safety and firefighting adequacy as per standards.		Date: 01/06/2026
11	Statutory compliance	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of diversion of forest land for non-forest purpose involved in the project.
PPs Submission: Complied Not applicable		Date: 01/06/2026
12	Statutory compliance	The proponent shall obtain clearance from the National Board for Wildlife, if applicable.
PPs Submission: Complied Not applicable.		Date: 01/06/2026
13	Statutory compliance	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
PPs Submission: Complied CFE and CFO is obtained for the project from KSPCB. The project is operational with valid consent from the Board.		Date: 01/06/2026
14	Statutory compliance	The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.

PPs Submission: Complied The water source for the project is from Hubli-Dharwad Water Supply Sources (KUWSDB). No groundwater is extracted in the project.		Date: 01/06/2026
15	Statutory compliance	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
PPs Submission: Complied Power required for the project is obtained from HESCOM.		Date: 01/06/2026
16	Statutory compliance	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
PPs Submission: Complied All additional statutory safety-related clearances were acquired as required by specific project requirements.		Date: 01/06/2026
17	Statutory compliance	The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016 shall be followed.
PPs Submission: Complied Waste management is strictly adhered to. Applicable solid, BMW. HWM and plastics waste rules are followed to maintaining environmental integrity.		Date: 01/06/2026
18	Statutory compliance	The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.
PPs Submission: Complied Noted. Energy conservation building codes were fully adhered to throughout the construction phase.		Date: 01/06/2026
19	AIR QUALITY MONITORING AND PRESERVATION	Notification GSR 94 (E) dated 25.01.2018 of MoEF and CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for project requiring Environmental Clearance shall be complied with.
PPs Submission: Complied During construction all dust-control measures were implemented. As the project is now operational, the premises remain paved and landscaped, ensuring negligible dust generation.		Date: 01/06/2026
20	AIR QUALITY MONITORING AND PRESERVATION	A management plan shall be drawn up and implemented to contain the current exceedance if any in ambient air quality at the site.
PPs Submission: Complied An air-quality management plan is in place. Routine ambient air-quality monitoring shows parameters within CPCB norms.		Date: 01/06/2026
21	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period.
PPs Submission: Complied		Date:

Ambient air quality monitoring is carried out periodically in the operational phase. Monitoring results confirm that air-quality levels remain well within the prescribed limits.		01/06/2026
22	AIR QUALITY MONITORING AND PRESERVATION	Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DC sets may be decided with in consultation with State Pollution Control Board.
PPs Submission: Complied DG sets installed on site are CPCB-approved acoustic type using low-sulphur diesel. Stack heights comply with CPCB standards, ensuring minimal air and noise emissions.		Date: 01/06/2026
23	AIR QUALITY MONITORING AND PRESERVATION	Construction site shall be adequately barricaded before the construction begins. Dust smoke and other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3-meter height). Plastic/ tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
PPs Submission: Complied During construction, effective barricading and dust-control measures were followed.		Date: 01/06/2026
24	AIR QUALITY MONITORING AND PRESERVATION	Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
PPs Submission: Complied Not applicable. There is no construction activity in the site.		Date: 01/06/2026
25	AIR QUALITY MONITORING AND PRESERVATION	Wet jet shall be provided for grinding and stone cutting.
PPs Submission: Complied Not applicable. There is no construction activity in the site.		Date: 01/06/2026
26	AIR QUALITY MONITORING AND PRESERVATION	Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
PPs Submission: Complied All internal roads are paved; regular cleaning and green-belt maintenance is carried out throughout the campus.		Date: 01/06/2026
27	AIR QUALITY MONITORING AND PRESERVATION	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules 2016.
PPs Submission: Complied		Date:

At present, there is no construction activity in the site.		01/06/2026
28	AIR QUALITY MONITORING AND PRESERVATION	The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to standards prescribed under Environmental (Protection) Rules for air and noise emission standards.
PPs Submission: Complied All operational DG sets meet CPCB emission and noise standards. Preventive maintenance and stack monitoring are performed regularly.		Date: 01/06/2026
29	AIR QUALITY MONITORING AND PRESERVATION	The gaseous emissions from DC set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
PPs Submission: Complied Acoustic enclosures and proper exhaust stacks are in place for all DG sets, ensuring compliance with CPCB norms and maintaining ambient noise within limits.		Date: 01/06/2026
30	WATER QUALITY MONITORING AND PRESERVATION	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the sib, on wetland and water bodies. Check dams, bio swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
PPs Submission: Complied The natural drainage pattern of the campus has been preserved. Stormwater drains are well maintained and regularly cleaned to ensure free flow of rainwater without blockage.		Date: 01/06/2026
31	WATER QUALITY MONITORING AND PRESERVATION	Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
PPs Submission: Complied Existing contours are maintained to enable natural runoff and landscaping.		Date: 01/06/2026
32	WATER QUALITY MONITORING AND PRESERVATION	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF and CC along with six monthly Monitoring reports.
PPs Submission: Complied Daily water consumption and reuse are metered and logged.		Date: 01/06/2026
33	WATER QUALITY MONITORING AND PRESERVATION	A certificate shall be obtained from local body supplying water, specifying the total annual water availability with local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available, this should be specified separately for ground water and surface water sources, ensuring that there is no impact on the other users.
PPs Submission: Complied		Date:

Water supply to the campus is through the Hubli-Dharwad Water Supply Sources (KUWSDB).		01/06/2026
34	WATER QUALITY MONITORING AND PRESERVATION	At least 20 percent of the open spaces as required by the local building bye. Lawns shall be pervious. Use of Grass pavers, paver blocks with at least 50 percent opening, landscape etc. would be considered as pervious surface.
PPs Submission: Complied Adequate pervious surfaces including grass pavers and landscaped areas have been provided, meeting the minimum 20 percent open space requirement.		Date: 01/06/2026
35	WATER QUALITY MONITORING AND PRESERVATION	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation car washing, thermal cooling, conditioning etc. shall be done.
PPs Submission: Complied Dual plumbing is implemented throughout the hospital and hostel blocks, ensuring separation of grey and black water systems		Date: 01/06/2026
36	WATER QUALITY MONITORING AND PRESERVATION	Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets taps aerators etc) for water conservation shall be incorporated in the project area.
PPs Submission: Complied Water-efficient fixtures such as low-flow taps are installed across all blocks, resulting in significant water savings.		Date: 01/06/2026
37	WATER QUALITY MONITORING AND PRESERVATION	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
PPs Submission: Complied Grey and black water are effectively segregated at source, treated in the STP, and reused for landscaping and toilet flushing.		Date: 01/06/2026
38	WATER QUALITY MONITORING AND PRESERVATION	The project proponent shall identify a suitable source of heated water for construction and submit an MOU/Agreement with such suppliers. If so, the supplier identified shall be responsible for treatment of water with appropriate technology to the standards required for constriction purpose.
PPs Submission: Complied Not applicable, as no construction is ongoing in the site.		Date: 01/06/2026
39	WATER QUALITY MONITORING AND PRESERVATION	The local bye-Law provisions on rain water harvesting should be followed. If local bye- law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016.
PPs Submission: Complied The rainwater harvesting system is in place with recharge pits and collection tanks are installed as per local regulations.		Date: 01/06/2026
40	WATER QUALITY MONITORING AND PRESERVATION	A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built-up area and storage capacity of minimum one day of

		total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
PPs Submission: Complied Adequate recharge pits and storage tanks have been provided across the site.		Date: 01/06/2026
41	WATER QUALITY MONITORING AND PRESERVATION	All recharge should be limited to shallow aquifer.
PPs Submission: Complied The rainwater recharge system is designed for shallow aquifer recharge.		Date: 01/06/2026
42	WATER QUALITY MONITORING AND PRESERVATION	No ground water shall be. Used during construction phase of the project.
PPs Submission: Complied No groundwater was used during construction		Date: 01/06/2026
43	WATER QUALITY MONITORING AND PRESERVATION	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
PPs Submission: Complied No groundwater abstraction is undertaken. Stormwater drains manage excess runoff effectively.		Date: 01/06/2026
44	WATER QUALITY MONITORING AND PRESERVATION	The quantity of fresh water usage/ water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance. The record shall be submitted to the Regional Office, MoEF and CC along with six monthly Monitoring reports.
PPs Submission: Complied Water balance data and STP performance are recorded and included in the periodic compliance submissions to MoEF and CC.		Date: 01/06/2026
45	WATER QUALITY MONITORING AND PRESERVATION	Sewage shall be heated in the STP based on MBBR/SBR Technology with tertiary treatment i.e. Ultra Filtration. The treated effluent from STP shall be recycled/ re-used for flushing landscaping and FIVAC cooling. No heated water shall be discharged to municipal drain.
PPs Submission: Complied STP based on SBR technology treats all sewage to tertiary standards. Treated water is reused for flushing, landscaping, and HVAC cooling.		Date: 01/06/2026
46	WATER QUALITY MONITORING AND PRESERVATION	No sewage or untreated effluent water would be discharged through storm water drains.
PPs Submission: Complied No untreated wastewater is discharged through the drains.		Date: 01/06/2026
47	WATER QUALITY	The existing water body, canals and rajakaluve and other drainage

	MONITORING AND PRESERVATION	and water bound structures shall be retained unaltered with due buffer zone as applicable and maintained under tree cover.
PPs Submission: Complied Natural drains have been maintained across the site and regularly cleaned to prevent any obstruction.		Date: 01/06/2026
48	WATER QUALITY MONITORING AND PRESERVATION	Onsite sewage treatment of capacity of treating 100 percent waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment Forest and Climate Change Natural treatment systems shall be promoted.
PPs Submission: Complied An onsite STP of 900 KLD adequate capacity operates efficiently. The treated water meets the stipulated norms and is fully utilized within the campus.		Date: 01/06/2026
49	WATER QUALITY MONITORING AND PRESERVATION	Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
PPs Submission: Complied Regular testing of treated water confirms compliance with prescribed limits. Odour control measures are in place through aeration and proper sludge handling.		Date: 01/06/2026
50	WATER QUALITY MONITORING AND PRESERVATION	Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewerage Treatment Systems, 2013.
PPs Submission: Complied STP sludge is dewatered and used as manure for greenbelt development.		Date: 01/06/2026
51	Noise Monitoring & Prevention	Ambient noise levels shall conform to residential area both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.
PPs Submission: Complied Ambient noise levels within the hospital, college, and hostel are monitored periodically and consistently meet CPCB-prescribed limits.		Date: 01/06/2026
52	Noise Monitoring & Prevention	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
PPs Submission: Complied Regular noise monitoring is conducted by an approved laboratory, and results are included in six-monthly compliance reports to MoEF and CC/SEIAA.		Date: 01/06/2026
53	Noise Monitoring & Prevention	Acoustic enclosures for DG sets, noise barriers for ground-run bays ear plugs for operating personnel shall be implemented as mitigation

		measures for noise impact due to ground sources.
PPs Submission: Complied All DG sets are acoustically enclosed and meet CPCB noise standards. Noise barriers and PPEs are provided wherever required.		Date: 01/06/2026
54	Noise Monitoring & Prevention	The project proponent shall ensure the time specification prescribed by the Honourable High Court of Karnataka in WP. No. 1958/201 1 (LB - RES - PIL) on 04.12.2012 for different activities involved in construction work
PPs Submission: Complied All construction activities were carried out only during day time.		Date: 01/06/2026
55	ENERGY PRESERVATION MEASURES	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
PPs Submission: Complied The hospital and institutional buildings are designed and maintained as per ECBC standards, ensuring high energy efficiency.		Date: 01/06/2026
56	ENERGY PRESERVATION MEASURES	Outdoor and common area lighting shall be LED.
PPs Submission: Complied 100 percent LED lighting is used in all outdoor and common areas, reducing overall energy consumption.		Date: 01/06/2026
57	ENERGY PRESERVATION MEASURES	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
PPs Submission: Complied The campus design includes optimal building orientation and extensive landscaping to reduce energy demand.		Date: 01/06/2026
58	ENERGY PRESERVATION MEASURES	Energy conservation measures like installation of LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
PPs Submission: Complied Energy-efficient lighting is installed across all parking, corridors, and common zones.		Date: 01/06/2026
59	ENERGY PRESERVATION MEASURES	Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 7 percent of the demand load or as per the state level/ local building bye-laws requirement whichever is higher.
PPs Submission: Complied Solar panels are installed on the campus. Solar power is being utilized to reduce the load on the grid and a separate meter is in place for the solar power generated.		Date: 01/06/2026
60	ENERGY PRESERVATION MEASURES	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate eclectic meter shall be installed for solar

		power. Solar water heating shall be provided to meet 20 percent of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.
PPs Submission: Complied Solar panels are installed on the campus. Solar power is being utilized to reduce the load on the grid and a separate meter is in place for the solar power generated.		Date: 01/06/2026
61	WASTE MANAGEMENT	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
PPs Submission: Complied The Municipal solid waste generated is disposed off through local municipal authority. Coordination is maintained for timely waste collection.		Date: 01/06/2026
62	WASTE MANAGEMENT	Disposal of muck during concoction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
PPs Submission: Complied All construction muck was disposed at approved sites as per guidelines. No construction activity is ongoing now in the project premises.		Date: 01/06/2026
63	WASTE MANAGEMENT	Separate wet and dry bins must be provided and at the ground level for facilitating segregation of waste, Solid waste shall be segregated into wet garbage and inert materials
PPs Submission: Complied Color-coded bins for wet, dry, and biomedical waste are provided throughout the campus with daily collection and segregation.		Date: 01/06/2026
64	WASTE MANAGEMENT	Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.
PPs Submission: Complied At present, vermicomposting is practiced in the project site for treating the Organic Waste generated. The manure is used in greenbelt development.		Date: 01/06/2026
65	WASTE MANAGEMENT	All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
PPs Submission: Complied Agreements are in place with authorized recyclers for collection and recycling of dry and non-biodegradable waste.		Date: 01/06/2026
66	WASTE MANAGEMENT	Any hazardous waste generated during concoction phase, shall be disposed of as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
PPs Submission: Complied Hazardous waste and biomedical waste is stored and disposed as per KSPCB guidelines through		Date: 01/06/2026

authorized handlers.		
67	WASTE MANAGEMENT	Fly ash should be used as construction material as per the provision of Fly Ash Nonfiction of September, 1999 and amended as on 27th August 2003 and 25th January 2016. Ready mixed concrete must be used in construction.
PPs Submission: Complied Fly ash and ready-mix concrete were used during the construction phase.		Date: 01/06/2026
68	WASTE MANAGEMENT	Use of environment friendly materials in bricks, blocks and other concoction materials, shall be required for at least 20 percent of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
PPs Submission: Complied Environmentally friendly materials like fly-ash bricks and hollow blocks were used during construction.		Date: 01/06/2026
69	WASTE MANAGEMENT	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016.
PPs Submission: Complied Not applicable, as there is no construction or demolition activity currently in the project site.		Date: 01/06/2026
70	WASTE MANAGEMENT	Used CFLs/TFLs/LED should be properly collected and disposed of/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.
PPs Submission: Complied All used lighting materials are collected separately and sent for authorized recycling as per guidelines.		Date: 01/06/2026
71	GREENBELT	No tree cutting/ transplantation should be carried out unless exigencies demand. Where absolutely necessary, tree transplantation shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).
PPs Submission: Complied No trees are cut in the project.		Date: 01/06/2026
72	GREENBELT	A minimum of tree for every 80 Sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include planation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.
PPs Submission: Complied The campus maintains over 3773 trees, predominantly native species as green cover requirement.		Date: 01/06/2026
73	GREENBELT	Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of

		1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted).
PPs Submission: Complied Not applicable. No trees are cut in the project.		Date: 01/06/2026
74	GREENBELT	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.
PPs Submission: Complied During construction, topsoil was preserved and reused in landscaped areas in the premises.		Date: 01/06/2026
75	MISCELLANEOUS	The PP shall grow 4000 numbers of indigenous fruit yielding trees in the early stages of construction. Example Mango, Jackfruit, Jamoon, champaca (Sampige), Terminalia Arjuna (Arjuna), Ficus racemosa (Atti mara), Sandalwood and Rosewood, Ocimum tenuiflorum (Sri Tulasi).
PPs Submission: Complied Over 3,000 indigenous trees are being planted within 5 km radius of the project premises shall be maintained in-house.		Date: 01/06/2026
76	MISCELLANEOUS	A comprehensive mobility plan as per MoUD best practices guidelines ORDPFD, shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria. a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic. b. Traffic calming measures. c. Proper design of entry and exit points. d. Parking norms as per local regulation.
PPs Submission: Complied Internal roads are well planned with pedestrian walkways, parking zones, and safe traffic flow within the campus.		Date: 01/06/2026
77	MISCELLANEOUS	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during nonpeak hours.
PPs Submission: Complied All vehicles used during construction complied with emission norms. Presently, hospital and college vehicles are maintained with valid PUC certificates.		Date: 01/06/2026
78	MISCELLANEOUS	A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of roads within a 5 km radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 5 km radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of component of the plan which involve the participation of these departments.

PPs Submission: Complied A good traffic management plan is implemented to ensure smooth traffic movement within and around the campus.		Date: 01/06/2026
79	MISCELLANEOUS	Provide at the main entrances bell gates, which are located at least 12 inch inside the boundary of the project to enable smooth flow of traffic on the main road leading to the entrance.
PPs Submission: Complied Entry and exit gates are set back adequately from the main road, allowing safe and smooth vehicular movement.		Date: 01/06/2026
80	Human Health Environment	All workers working at the concoction site and involved in loading unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
PPs Submission: Complied PPEs were provided during construction. Currently, all housekeeping and maintenance staff use appropriate protective equipment.		Date: 01/06/2026
81	Human Health Environment	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase, Sufficient number of toilets/bathrooms shall be provided with required mobile toilets, mobile STP for construction workforce.
PPs Submission: Complied Adequate sanitation and hygiene facilities exist in the campus for all staff, students, and patients.		Date: 01/06/2026
82	Human Health Environment	For indoor air quality the ventilation provisions as per National Building Code of India.
PPs Submission: Complied All the indoor areas are well-ventilated.		Date: 01/06/2026
83	Human Health Environment	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
PPs Submission: Complied A comprehensive Disaster Management and Emergency Response Plan is in place and reviewed periodically.		Date: 01/06/2026
84	Human Health Environment	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
PPs Submission: Complied During construction, temporary facilities with sanitation, water, and medical support were provided for the construction workers.		Date: 01/06/2026
85	Human Health Environment	Occupational health surveillance of the workers shall be done on a regular basis.

PPs Submission: Complied Periodic health checkups and occupational safety training are conducted for construction workers.		Date: 01/06/2026
86	Human Health Environment	A First Aid Room shall be provided in the project both during construction and operations of the project.
PPs Submission: Complied The project itself being a hospital, all the necessary first aid facilities are available.		Date: 01/06/2026
87	Corporate Environmental Responsibility	The project proponent shall comply with provision contained in OM vide F.No. 22-65/2017-IA.III dated 20th October 2020, of the Ministry of Environment Forest and Climate Change as applicable regarding Corporate Environment Responsibility and shall execute the action plan with a total cost of minimum of Rs. 1,72,50,000/- Lakhs as submitted vide letter dated/ revived on 01/12/2023, around the project site.
PPs Submission: Complied CER activities are being executed as per the approved action plan submitted to the Authority. Funds have been earmarked for the same.		Date: 01/06/2026
88	Corporate Environmental Responsibility	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or stakeholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF and CC as a part of six-monthly report.
PPs Submission: Complied A well laid environmental policy is in place.		Date: 01/06/2026
89	Corporate Environmental Responsibility	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization. The project proponent enters into an agreement with the prospective buyers/ tenants to ensure that they maintain the cell and take care of all environment concerns during the operation phase of the project. In addition, sufficient fees should be levied so as to raise a corpus fund to maintain the Environment cell.
PPs Submission: Complied An Environmental Cell is in place in the project and the cell members monitor compliance, green initiatives, and environmental performance of the facility.		Date: 01/06/2026
90	Corporate Environmental Responsibility	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry of Environment! Forest and Climate Change/Regional Office along with the Six-Monthly Compliance Report.

PPs Submission: Complied The Environmental Management Plan (EMP) is implemented with defined responsibilities and annual budget allocations, reported to authorities regularly.		Date: 01/06/2026
91	MISCELLANEOUS	This Environmental Clearance is subjected to outcome of the complaint filed by this authority vide C C No. P.C.R /38/2023 before the Honble Court of 3 Addl. Civil lodge and CIM, Dharwad on 1.4.12.2023, against the project authorities.
PPs Submission: Complied Noted and agreed.		Date: 01/06/2026
92	MISCELLANEOUS	The Bank Guarantee No. 11247GPG82333301 dated 29/11/2023 and valid till 29/17/2026 shall be renewed from time to time till the completion of Remediation Plan and Natural and Community Resource Augmentation Plan as submitted to this Authority and until duly released by this Authority in accordance with law. Non-renewal of Bank Guarantee until completion of implementation of Remediation plan and Natural and Community Resource Augmentation plan will render this Environment clearance inoperative and result in closure of this industrial unit.
PPs Submission: Complied The Bank Guarantee is valid till 29/11/2026 and is being monitored. It will be renewed as required before expiry.		Date: 01/06/2026
93	MISCELLANEOUS	As per SoP dated,07.07.2021, section 12(b)(i) 0.5 percent of the total project expansion cost for Rs.79,56,457.19/- (Rs.79.564 lakhs) i.e., Rs. 39,78,288.59 / - and turnover during violation period i.e., Rs. 7,48,737.5 / totalling to Rs. 47,26,966.09/ - of Penalty amount paid by project proponent through DD bearing number 969818 dated 29/11/2023 drawn at Canara Bank, Dharwad to KSPCB.
PPs Submission: Complied The required penalty amount was duly paid to KSPCB as per SoP guidelines.		Date: 01/06/2026
94	MISCELLANEOUS	The proponent shall comply all the remediation plan and natural and community resource augmentation plan as per the Annexure-I as committed.
PPs Submission: Complied Remediation and community resource augmentation activities are being executed as per approved plan.		Date: 01/06/2026
95	MISCELLANEOUS	The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEF CC/SEIAA website where it is displayed.
PPs Submission: Complied EC grant was duly published in English and vernacular newspapers within stipulated time.		Date: 01/06/2026
96	MISCELLANEOUS	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.

PPs Submission: Complied Copies of EC have been submitted to concerned local and district authorities.		Date: 01/06/2026
97	MISCELLANEOUS	The Project Proponent shall obtain the construction material such as stones and aggregates etc. only from the approved quarries and other construction material shall also be procured from the authorized agencies/ traders.
PPs Submission: Complied All materials were procured from authorized and approved suppliers.		Date: 01/06/2026
98	MISCELLANEOUS	The project proponent shall not use Kharab land if any for any purpose and keep available to the general public duly displaying a board as public property. No structure of any kind be put up in the Kharab land and shall be afforested and maintained as green belt only.
PPs Submission: Complied No Kharab land is used in the project. Green belt has been developed in open areas.		Date: 01/06/2026
99	MISCELLANEOUS	The Proponent shall build in infrastructure required for use of Piped Natural Gas (PNG) such as pipelines and space for installation of PNG distribution equipment for both domestic/commercial purpose and DG set and shall ensure that PNG is supplied for both commercial and for DG sets instead of other type of fuels.
PPs Submission: Complied Not applicable, as the project is hospital facility.		Date: 01/06/2026
100	MISCELLANEOUS	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
PPs Submission: Complied Half-yearly compliance reports and monitoring data are submitted in the PARIVESH portal regularly. The same will be uploaded in the company website henceforth.		Date: 01/06/2026
101	MISCELLANEOUS	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
PPs Submission: Complied Six-monthly compliance reports are submitted on the MoEF and CC portal as per schedule.		Date: 01/06/2026
102	MISCELLANEOUS	The Half Yearly Compliance Reports (HYCRs) with its contents of a covering letter, compliance reports, and environmental monitoring data has to be in PDF format merged into a single document The email should clearly mention the name of project, EC No and date, period of submission d to be sent to the Regional Office of MOEF and CC by email only at email ID rosz.bng-mefccatgov.in Hard copy of HYCRs shall not be acceptable.
PPs Submission: Complied		Date:

Compliance reports are submitted electronically in prescribed format to the Regional Office.		01/06/2026
103	MISCELLANEOUS	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
PPs Submission: Complied Annual Environmental Statement (Form-V) is submitted to KSPCB every financial year.		Date: 01/06/2026
104	MISCELLANEOUS	The project proponent shall inform the Regional Office as well as the Ministry of Environment Forest and Climate Change, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
PPs Submission: Complied Authorities were informed at the time of commissioning and operation commencement.		Date: 01/06/2026
105	MISCELLANEOUS	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
PPs Submission: Complied All stipulations of KSPCB and the State Government are strictly followed. Valid Consent to Operate is maintained and all conditions are complied with.		Date: 01/06/2026
106	MISCELLANEOUS	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report and also that during their presentation to the Expert Appraisal Committee.
PPs Submission: Complied All commitments in the EIA/EMP and to the Expert Committee are under progress.		Date: 01/06/2026
107	MISCELLANEOUS	No further expansion or modifications in the plan shall be carried out without prior Environmental Clearance from the competent authority.
PPs Submission: Complied No expansion or modification has been carried out without due environmental clearance.		Date: 01/06/2026
108	MISCELLANEOUS	Concealing factual data or submission of falsified data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
PPs Submission: Complied All the provided data is factual and correct.		Date: 01/06/2026
109	MISCELLANEOUS	The State Level Environment Impact Assessment Authority, Karnataka may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
PPs Submission: Complied The institution ensures full implementation of all EC conditions and proactive cooperation with authorities.		Date: 01/06/2026

110	MISCELLANEOUS	The SEIAA, Karnataka reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
PPs Submission: Complied The proponent will comply with any additional conditions as directed by SEIAA.		Date: 01/06/2026
111	MISCELLANEOUS	The Regional Office of MoEF and CC shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/ monitoring reports.
PPs Submission: Complied Full cooperation will be extended to MoEF and CC Regional Office during inspections and reviews.		Date: 01/06/2026
112	MISCELLANEOUS	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention and Control of Pollution) Act,1974, the Air (Prevention and Control of Pollution) Act 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules,2016 and the Public Liability Insurance Act 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
PPs Submission: Complied The project operates in compliance with all applicable environmental laws and acts.		Date: 01/06/2026
113	MISCELLANEOUS	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
PPs Submission: Complied Noted.		Date: 01/06/2026
114	MISCELLANEOUS	In case of any material supported by documents/ court orders which is contrary to the claim of the applicant and material facts produced, the SEIAA reserves the right to withdraw the EC at any point of time.
PPs Submission: Complied Noted and agreed.		Date: 01/06/2026
115	MISCELLANEOUS	The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules,2016 and the Plastics Waste Management Rules, 2016 shall be followed.
PPs Submission: Complied The institution maintains strict compliance with SWM, E-waste, and plastic waste management regulations.		Date: 01/06/2026
116	MISCELLANEOUS	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules 2016.

PPs Submission: Complied Not applicable, as there is no construction activity in the project site.		Date: 01/06/2026
117	MISCELLANEOUS	The PP shall submit the Memorandum of Understanding with Authorised/Registered C and D Waste recycler within six months to SEIAA.
PPs Submission: Complied Not applicable.		Date: 01/06/2026
118	MISCELLANEOUS	The Authority will not be responsible for the issues arising during the operational phase from the project surroundings.
PPs Submission: Complied Noted; the institution takes full responsibility for environmental management during operations.		Date: 01/06/2026
119	MISCELLANEOUS	The proponent shall establish a separate pre-treatment of Biomedical Liquid waste and the heated effluent shall be free from pathogens and disposed of as per Bio-Medical Waste (Management and Handling) Rules, 1998.
PPs Submission: Complied A dedicated biomedical wastewater pre-treatment system is in operation in the project.		Date: 01/06/2026
Visit Remarks		
Last Site Visit Report Date:		N/A
Additional Remarks:		Half yearly compliance report for the period October 2025 to March 2026 is attached herewith for your kind perusal.
Note: This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.		